

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

. 1.1 Product identifier

. Trade name System Soft Blank

System Soft

System Duro

System MM

System 3

System MG

System NE

System 1

. Article number:

2008, 2010, 2012, 2013, 2015, 2016, 2018, 2020, 2024, 2008-D, 2010-D, 2012-D, 2013-D, 2015-D, 2016-D, 2018-D, 2020-D, 2024-D

3008, 3010, 3012, 3014, 3015, 3016, 3018, 3020, 3024, 3008-D, 3010-D, 3012-D, 3014-D, 3015-D, 3016-D, 3018-D, 3020-D, 3024-D

2005002, 2005003, 2005005, 2005005-8, 2005007-8, 2005007, 2005009, 2005012, 2005013

. 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

. Application of the substance / the mixture Metall alloy for dental technology

. 1.3 Details of the supplier of the safety data sheet

. Manufacturer/Supplier:

Adentatec GmbH

Dr.-Konrad-Wiegand-Str. 9

63939 Wörth am Main

Tel.: 0 9372/9404200

www.adentatec.com

. Information: Product Management Tel.: +49 9372 9404 200 or by mail: info@adentatec.com

. 1.4 Emergency telephone number:

Tel.: +49 (0) 9372 9404 200, Monday to Friday 8.00 a.m. to 5.00 p.m., in German and English, also contact local poison centres

SECTION 2: Hazards identification

Medical devices according EG 2017-745 in their final state are exempted from the GB CLP legislation.

. 2.1 Classification of the substance or mixture

. Classification according to Regulation (EC) No 1272/2008

The following classification is not applicable to the alloy but only for the fumes, smokes and dusts formed during the processing and machining.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1B H360F May damage fertility.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

. Additional information:

The specified classification and labelling relates to safe handling of the alloy and the manufacturing of dental prostheses and not for application in the oral cavity.

(Contd. on page 2)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 1)

2.2 Label elements

Medical devices according EG 2017-745 in their final state are exempted from the GB CLP legislation. The following labelling is not applicable to the alloy but only for the fumes, smokes and dusts formed during the processing and machining.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

cobalt

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360F May damage fertility.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Information pertaining to particular dangers for man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

Trade name System Soft Blank

*
System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 7440-48-4	cobalt	≥50-≤100%
EINECS: 231-158-0	Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350; Repr. 1B, H360F; Skin	
Index number: 027-001-00-9	Sens. 1, H317; Aquatic Chronic 4, H413	
CAS: 7440-47-3	chromium	≥10-<50%
EINECS: 231-157-5	substance with a Community workplace exposure limit	
CAS: 7440-33-7	tungsten	≥2.5-<25%
EINECS: 231-143-9	substance with a Community workplace exposure limit	
CAS: 7440-21-3	silicon	≥0-<10%
EINECS: 231-130-8	Flam. Sol. 2, H228	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Instantly remove any clothing soiled by the product.

After inhalation :

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact :

Instantly rinse with water.

The product is not skin irritating.

If skin irritation continues, consult a doctor.

After eye contact : Rinse opened eye for 15 minutes under running water.

After swallowing : In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

ABC powder

Sand

Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Fire can cause release of :

Metal vapor and metal oxides as fumes.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 3)

5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Wear protective clothing.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

6.2 Environmental precautions:

Do not allow concentrated solutions to enter drainage system, surface or ground water.

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provide suction extractors if dust is formed.

Extractors are required on all machines used for thermal processing or metal removal processes.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: Keep breathing equipment ready.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

7440-48-4 cobalt

WEL (Great Britain) Long-term value: 0.1 mg/m³
as Co; Carc, Sen

7440-47-3 chromium

WEL (Great Britain) Long-term value: 0.5 mg/m³
IOELV (European Union) Long-term value: 2 mg/m³
as Cr

7440-33-7 tungsten

WEL (Great Britain) Short-term value: 10 mg/m³
Long-term value: 5 mg/m³
as W

7440-21-3 silicon

WEL (Great Britain) Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

Ingredients with biological limit values:

CAS No.	Designation of material	%	Type	Value	Unit
	General dust exposure limit, measured as alveolic part		German TRGS 900 (2015)	1,25	mg/m ³

Additional information:

The lists that were valid during compilation were used as a basis.

The general dust limit value of 1.25 mg / m³ (alveolar fraction) and 10 mg / m³ (respirable fraction) must be observed (TRGS 900, 2015).

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Do not eat, drink or smoke while working.

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Short term filter device: ABEK-filter

Filter P3.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Protection of hands:

Protective gloves:

In case of spray contact at least protection index 2 recommended, according to more than 30 min. penetration time (EN

(Contd. on page 6)

Safety data sheet

Printing date 10.03.2025

according to 1907/2006/EC, Article 31

Version number 16

Revision: 10.03.2025

* Trade name **System Soft Blank**

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 5)

374).

Layer thickness of gloves at least: 0.4 mm

In case of prolonged and intensive contact protection index 6 recommended, according to more than 480 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.7 mm

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Natural rubber, NR

PVC or PE gloves

Neoprene gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses (DIN 58211, EN 166)

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:

Solid

Colour:

Silver-coloured

Smell:

Odourless

Odour threshold:

not applicable

pH-value:

Not applicable.
not applicable

Change in condition

Melting point/freezing point:

1,345-1,385 °C

Initial boiling point and boiling range: 1,400 °C

Flash point:

Not applicable
not applicable

Inflammability (solid, gaseous)

not applicable

Auto-ignition temperature:

not applicable

Decomposition temperature:

not determined

Self-inflammability:

Product is not selfigniting.

Explosive properties:

Product is not explosive.

Critical values for explosion:

Lower:

not applicable

Upper:

Not determined.

(Contd. on page 7)

Safety data sheet

Printing date 10.03.2025

according to 1907/2006/EC, Article 31

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 6)

. Dust explosion class:

Oxidising properties not applicable

. Steam pressure: Not applicable.
not applicable

. Density at 20 °C 8.5 g/cm³

. Relative density Not determined.

. Vapour density Not applicable.

. Evaporation rate not applicable

. Solubility in / Miscibility with
Water: Insoluble

. Partition coefficient: n-octanol/water: not applicable

. Viscosity:
dynamic: Not applicable.
not applicable
kinematic: Not applicable.

. Solvent content:

Solids content: 100.0 %

. 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

. 10.1 Reactivity

No further relevant information available.

No further relevant information available.

. 10.2 Chemical stability

. Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

. 10.3 Possibility of hazardous reactions No dangerous reactions known

. 10.4 Conditions to avoid No further relevant information available.

. 10.5 Incompatible materials: No further relevant information available.

. 10.6 Hazardous decomposition products:

Formation of metal vapor when melting

Fire can cause release of :

Metal vapor and metal oxides as fumes.

SECTION 11: Toxicological information

. 11.1 Information on toxicological effects

. Acute toxicity Based on available data, the classification criteria are not met.

. LD/LC50 values that are relevant for classification:

Components	Type	Value	Species
Product	LD50:	oral	> 2000 mg/kg rat

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 7)

- . **Primary irritant effect:**
- . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- . **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- . **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- . **Subacute to chronic toxicity:**
Do not breathe dust.
Harmful: possible risk of irreversible effects through inhalation.
- . **Additional toxicological information:**
- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Suspected of causing genetic defects.
May cause cancer.
Suspected of damaging fertility.
- . **Germ cell mutagenicity**
Suspected of causing genetic defects.
- . **Carcinogenicity**
May cause cancer.
- . **Reproductive toxicity**
May damage fertility.
- . **STOT-single exposure** Based on available data, the classification criteria are not met.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** Does not accumulate in organisms
- . **12.4 Mobility in soil** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Other information:**
No COD, no BOD, no AOX
No VOC (0%) according to EC-directive 1999/13/EC
- . **Additional ecological information:**
- . **General notes:**
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into soil.
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 9)

Safety data sheet

Printing date 10.03.2025

according to 1907/2006/EC, Article 31

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Contact manufacturer for recycling information.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated in adherence to official regulations.

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN-Number

ADR/RID/ADN, IMDG, IATA

Void

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR/RID/ADN, IMDG, IATA

Class

Void

14.4 Packing group

ADR/RID/ADN, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

Not dangerous according to the above regulations.

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2025

Version number 16

Revision: 10.03.2025

* Trade name System Soft Blank

System Soft
System Duro
System MM
System 3
System MG
System NE
System 1

(Contd. of page 9)

. Reportable poisons

None of the ingredients is listed.

. Directive 2012/18/EU

. **Named dangerous substances - ANNEX I** None of the ingredients is listed.

. National regulations

. Information about limitation of use:

Workers should not be exposed to the hazardous materials contained in this preparation. Exceptions can be made by the authorities in certain exceptional cases.

Employment restrictions concerning young persons must be observed.

. Other regulations, limitations and prohibitive regulations

The general dust exposure limit of 1.25 mg/m³, measured as alveolic part has to be observed (German TRGS 900, 2015).

. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360F May damage fertility.

H413 May cause long lasting harmful effects to aquatic life.

. **Contact:** info@adentatec.com

. Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

. **Sources:** source ECHA: European Chemicals Agency, <http://echa.europa.eu/>

. * **Data compared to the previous version altered.**